



I
, 24.11.2018

1 - I

24.11.2018 - 12:00

1		, 50m		9 - 11	
24.11.2018 - 12:00					
I	10 +: 30.90 / 9 +: 48.00 /	I	9 +: 32.50 / 9 +: 58.00 /	II	9 +: 37.50 / 9 +: 1:08.00
1.		07	1		33.39 532 II
2.		07	1		33.67 519 II
3.		07	1		34.07 501 II
4.		07	"	-	34.24 493 II
5.		07		"	34.31 490 II
6.		07		"	34.68 475 II
7.		07		"	34.89 466 II
8.		07		"	35.51 442 II
9.		07	2		35.60 439 II
10.		07			35.62 438 II
11.		07	-		35.67 436 II
12.		08		"	35.68 436 II
13.		07		27-31	35.90 428 II
14.		07	1		35.99 425 II
15.		07		14	36.31 413 II
16.		07	-		36.47 408 II
17.		07	2		36.49 407 II
18.		07			36.59 404 II
19.		07	-	-	36.90 394 II
21.		09		27-31	36.90 394 II
22.		07	-	-	37.03 390 II
22.		08		"	37.20 384 II
24.		07	"	-	37.20 384 II
24.		07			37.30 381 II
25.		07			37.33 380 II
26.		08			37.42 378 II
27.		07		-2	37.64 371 III
28.		08		-1	37.74 368 III
29.		07	-		37.75 368 III
30.		08		"	37.79 367 III
31.		07		-1	37.88 364 III
31.		07	-		37.88 364 III
33.		07			37.91 363 III
34.		07			37.96 362 III
35.		07	2		38.05 359 III
36.		09			38.29 352 III
37.		07	2		38.34 351 III
38.		07		"	38.57 345 III
39.		07			38.64 343 III
40.		07			38.69 342 III
40.		07	- 1		38.69 342 III
42.		07			38.81 338 III
43.		07			38.82 338 III
44.		07		27-31	38.97 334 III



I
, 24.11.2018

1, , 50m , 9 - 11

45.		07								39.01	333	III
46.		07	3							39.02	333	III
47.		07	3							39.09	331	III
		07								39.09	331	III
49.		07		"	"	"	"			39.13	330	III
50.		07		"	"	"	"			39.17	329	III
51.		07	3							39.36	324	III
52.		07								39.37	324	III
		07				-1				39.37	324	III
54.		07								39.40	323	III
55.		07								39.47	322	III
56.		07		"	"	"	"			39.61	318	III
57.		08								39.66	317	III
58.		08								39.73	315	III
59.		08		"	"	"	"			39.77	315	III
60.		07	- 1							39.80	314	III
61.		07								39.90	311	III
62.		08								39.91	311	III
63.		07	-							39.97	310	III
64.		08								40.05	308	III
65.		07								40.10	307	III
66.		07				-2				40.11	307	III
67.		08								40.13	306	III
68.		08								40.17	305	III
69.		07								40.29	302	III
70.		08	- 1							40.30	302	III
71.		07		"	"					40.32	302	III
72.		07								40.33	302	III
		08	-							40.33	302	III
74.		07								40.34	301	III
75.		07								40.72	293	III
		08								40.72	293	III
77.		07								40.75	292	III
78.		07								40.77	292	III
79.		08				14				40.80	291	III
80.		07								40.82	291	III
81.		07								40.83	291	III
82.		07								40.86	290	III
83.		07								40.97	288	III
84.		08				-2				41.05	286	III
85.		08		"	"	"	"			41.06	286	III
86.		07				-1				41.07	286	III
87.		07								41.09	285	III
88.		07								41.16	284	III
89.		08								41.17	283	III
90.		07								41.29	281	III
91.		09								41.32	280	III
92.		08								41.35	280	III
93.		07								41.37	279	III
94.		08	3							41.40	279	III



I
, 24.11.2018

1,	, 50m	, 9 - 11					
95.	,	08	"	"	41.43	278	III
96.	,	08			41.44	278	III
97.	,	07		-2	41.45	278	III
98.	,	08	"	"	41.46	278	III
99.	,	07		27-31	41.47	277	III
100.	,	07			41.51	277	1
101.	,	08			41.53	276	1
102.	,	07	"	"	41.58	275	1
103.	,	08			41.59	275	1
104.	,	08			41.67	273	1
105.	,	07			41.70	273	1
106.	,	07			41.71	273	1
107.	,	08	"	"	41.76	272	1
108.	,	07			41.79	271	1
109.	,	08		14	41.84	270	1
110.	,	08			42.05	266	1
111.	,	08	"	"	42.12	265	1
112.	,	09			42.13	264	1
	,	08			42.13	264	1
114.	,	08			42.18	264	1
115.	,	08			42.23	263	1
116.	,	08			42.28	262	1
117.	,	07	"	"	42.33	261	1
118.	,	08			42.37	260	1
119.	,	07			42.38	260	1
120.	,	08			42.49	258	1
121.	,	07	"	"	42.50	258	1
122.	,	07			42.72	254	1
123.	,	07			42.73	253	1
124.	,	07		- 1	42.74	253	1
125.	,	07			42.78	253	1
126.	,	08		- 2	42.79	252	1
127.	,	07			42.82	252	1
128.	,	09			42.84	252	1
129.	,	07			42.90	250	1
	,	07	"	"	42.90	250	1
131.	,	08	-	-	43.04	248	1
132.	,	08			43.07	248	1
133.	,	07			43.12	247	1
134.	,	09			43.14	246	1
135.	,	07	"	-	43.16	246	1
	,	08			43.16	246	1
137.	,	07			43.22	245	1
138.	,	07			43.38	242	1
139.	,	07			43.53	240	1
140.	,	07			43.61	238	1
141.	,	07		-	43.73	236	1
142.	,	07			43.77	236	1
143.	,	07			43.93	233	1
	,	08		- 2	43.93	233	1



I
, 24.11.2018

1,	, 50m	, 9 - 11						
145.	,		07					44.04 231 1
146.	,		08					44.13 230 1
147.	,		07	"	-	"		44.17 229 1
148.	,		07		- 2			44.21 229 1
	,		07					44.21 229 1
150.	,		07					44.23 228 1
151.	,		07			"	"	44.31 227 1
152.	,		07					44.33 227 1
153.	,		09		-	"	-	44.44 225 1
154.	,		08			"	"	44.47 225 1
155.	,		08					44.53 224 1
156.	,		09					44.67 222 1
157.	,		09					44.76 220 1
158.	,		08					44.80 220 1
159.	,		09					44.82 220 1
160.	,		09					44.85 219 1
161.	,		08					44.98 217 1
	,		07					44.98 217 1
163.	,		07			"	"	45.03 217 1
164.	,		08					45.05 216 1
165.	,		08			"	"	45.16 215 1
166.	,		07					45.33 212 1
167.	,		08					45.38 212 1
168.	,		07					45.44 211 1
169.	,		07					45.85 205 1
170.	,		07					45.89 205 1
171.	,		07			"	"	46.05 202 1
172.	,		09					46.06 202 1
173.	,		08					46.31 199 1
174.	,		07		-			46.39 198 1
175.	,		07					46.56 196 1
176.	,		07			"	"	46.62 195 1
177.	,		07					46.73 194 1
	,		09					46.73 194 1
179.	,		07			"	"	47.14 189 1
180.	,		08					47.23 188 1
181.	,		07					47.30 187 1
182.	,		08					47.31 187 1
183.	,		09			"	"	47.42 185 1
184.	,		07					47.48 185 1
185.	,		09		- 2			47.70 182 1
186.	,		09					48.31 175 2
187.	,		08			"	"	48.32 175 2
188.	,		07			"	"	48.55 173 2
189.	,		07					48.60 172 2
190.	,		08					48.65 172 2
191.	,		09					48.79 170 2
192.	,		07					48.81 170 2
193.	,		09					48.86 169 2
194.	,		08					48.95 168 2



I
 , 24.11.2018

1,	, 50m	, 9 - 11					
195.	,	09				49.13	167 2
196.	,	08				49.25	165 2
197.	,	08				49.37	164 2
198.	,	09				49.76	160 2
199.	,	09				49.78	160 2
200.	,	09				50.57	153 2
201.	,	08				50.90	150 2
202.	,	09				51.39	145 2
203.	,	09				51.40	145 2
204.	,	07	"	"		51.77	142 2
205.	,	08	"	"	"	52.06	140 2
206.	,	09			28	52.97	133 2
207.	,	08				55.04	118 2
208.	,	08	"	"		59.27	95 3
209.	,	08			28	1:00.64	88 3
DSQ	,	07	"	"	"		
EXH	,	09				41.49	277 III
EXH	,	09				41.69	273 1
EXH	,	09				41.81	271 1
EXH	,	07				42.31	261 1
EXH	,	07				42.38	260 1
EXH	,	08				43.49	240 1
EXH	,	09				43.77	236 1
EXH	,	09				45.23	214 1
EXH	,	08				45.68	207 1



I .
 , 24.11.2018

2 , 50m 11 - 13
 24.11.2018 - 12:35

	12 +: 25.40 /	10 +: 26.90 /	I	9 +: 28.70 /	II	9 +: 33.00 /
III	9 +: 36.50 /	I .	9 +: 42.50 /	II .	9 +: 52.50 /	
III	9 +: 1:02.50					

: FINA 2018

1.	,	05	-			29.87	521	II
2.	,	05	1			30.37	495	II
3.	,	06	- 1			30.78	476	II
4.	,	05	- 1			31.50	444	II
5.	,	05	-			31.51	444	II
6.	,	06				31.67	437	II
7.	,	05		"	"	31.78	432	II
8.	,	05				31.84	430	II
9.	,	06		"	"	32.03	422	II
10.	,	05	-			32.17	417	II
11.	,	05	2			32.21	415	II
12.	,	06	-		-	32.33	411	II
13.	,	05		"	"	32.40	408	II
14.	,	05	2			32.47	405	II
15.	,	05	1			32.55	402	II
16.	,	05	1			32.58	401	II
17.	,	05				32.63	399	II
	,	05	-			32.63	399	II
19.	,	05			27-31	32.76	395	II
20.	,	05				32.77	394	II
21.	,	05	- 1			32.80	393	II
22.	,	06	-			32.92	389	II
23.	,	05				33.06	384	III
24.	,	05		"	"	33.07	384	III
25.	,	05	-			33.08	383	III
26.	,	07				33.16	381	III
27.	,	05	1			33.27	377	III
28.	,	05	"	-	"	33.31	375	III
29.	,	05	- 1			33.32	375	III
30.	,	05				33.38	373	III
31.	,	07	3			33.50	369	III
32.	,	05		"	"	33.51	369	III
33.	,	06		"	"	33.54	368	III
34.	,	05				33.55	367	III
35.	,	06	3			33.81	359	III
36.	,	05	-		-	33.83	358	III
37.	,	05		"	"	33.90	356	III
38.	,	07				33.93	355	III
39.	,	05				33.94	355	III
40.	,	06				33.95	355	III
41.	,	05				33.96	354	III
42.	,	05				34.06	351	III
43.	,	05	-			34.13	349	III
	,	05				34.13	349	III
45.	,	05			-1	34.14	349	III
46.	,	06				34.18	347	III



I
, 24.11.2018

2, , 50m , 11 - 13

47.	,	05			"SPN"-1	34.20	347	III
48.	,	05			27-31	34.22	346	III
49.	,	05				34.23	346	III
50.	,	05				34.27	345	III
51.	,	05				34.28	344	III
	,	07	-	-		34.28	344	III
53.	,	05				34.29	344	III
54.	,	05	-	-		34.31	343	III
55.	,	06				34.33	343	III
56.	,	05		"	"	34.34	343	III
57.	,	05				34.35	342	III
58.	,	05				34.61	335	III
59.	,	06			"SPN"-1	34.64	334	III
60.	,	05		"	"	34.71	332	III
61.	,	05				34.78	330	III
62.	,	05			"SPN"-1	34.86	327	III
63.	,	06	- 2			34.89	327	III
64.	,	06		-1		34.90	326	III
65.	,	05				34.94	325	III
66.	,	06		"	"	34.96	325	III
67.	,	07	"	"	"	35.01	323	III
68.	,	05	"	-	"	35.02	323	III
69.	,	06		"	"	35.14	320	III
70.	,	05				35.18	319	III
71.	,	05				35.30	315	III
72.	,	06				35.33	315	III
	,	05			27-31	35.33	315	III
74.	,	06				35.34	314	III
75.	,	05				35.37	313	III
	,	06				35.37	313	III
77.	,	05	- 2			35.41	312	III
78.	,	06	"	-	"	35.42	312	III
	,	05		2		35.42	312	III
80.	,	06		-2		35.48	311	III
81.	,	05				35.50	310	III
82.	,	05				35.52	310	III
83.	,	06				35.58	308	III
84.	,	05				35.59	308	III
85.	,	07				35.62	307	III
86.	,	06		"	"	35.63	307	III
87.	,	05	-			35.64	306	III
88.	,	05				35.66	306	III
	,	05				35.66	306	III
90.	,	05				35.67	306	III
91.	,	05				35.71	305	III
92.	,	06				35.75	304	III
	,	05				35.75	304	III
94.	,	05				35.78	303	III
95.	,	05				35.79	303	III
96.	,	05			27-31	35.80	302	III



I
, 24.11.2018

2,	, 50m	, 11 - 13						
97.	,	06						35.84 301 III
98.	,	06	3					35.88 300 III
99.	,	05	2					35.89 300 III
100.	,	06						35.90 300 III
101.	,	07	"	"				35.91 300 III
102.	,	05						35.94 299 III
103.	,	07						36.00 297 III
104.	,	06	"	"	"			36.01 297 III
	,	05	3					36.01 297 III
106.	,	06						36.05 296 III
107.	,	05						36.11 295 III
108.	,	06						36.13 294 III
109.	,	06						36.20 292 III
110.	,	06	"	"	"			36.36 289 III
111.	,	07						36.45 286 III
112.	,	05						36.49 285 III
113.	,	06	"	"	"			36.52 285 1
114.	,	07						36.55 284 1
115.	,	06						36.56 284 1
116.	,	05						36.59 283 1
117.	,	07						36.60 283 1
118.	,	05	"	"				36.66 281 1
	,	07						36.66 281 1
120.	,	07						36.68 281 1
121.	,	05	"	"	"			36.83 278 1
122.	,	06	"	"	"			36.84 277 1
	,	07						36.84 277 1
124.	,	06	"	-	"			36.86 277 1
125.	,	05						36.97 274 1
126.	,	05						36.99 274 1
	,	07				14		36.99 274 1
128.	,	05						37.01 274 1
129.	,	05						37.07 272 1
130.	,	05				"SPN"-2		37.10 272 1
131.	,	07						37.11 271 1
132.	,	05						37.13 271 1
	,	05	"	"				37.13 271 1
134.	,	05						37.20 269 1
135.	,	05						37.24 269 1
136.	,	05						37.25 268 1
137.	,	06						37.28 268 1
138.	,	07						37.30 267 1
139.	,	05						37.39 265 1
140.	,	05						37.48 263 1
141.	,	06						37.52 263 1
	,	05						37.52 263 1
143.	,	07	"	"	"			37.58 261 1
144.	,	07	- 2					37.61 261 1
145.	,	05						37.68 259 1
146.	,	05						37.70 259 1



I
 , 24.11.2018

2,	, 50m	, 11 - 13						
147.	,	05						37.71 259 1
148.	,	07						37.72 258 1
149.	,	07		"	"	"		37.77 257 1
150.	,	07						37.82 256 1
151.	,	06						37.85 256 1
	,	06			14			37.85 256 1
153.	,	06						37.87 255 1
154.	,	07		- 2				37.89 255 1
155.	,	05						37.93 254 1
156.	,	05						37.94 254 1
157.	,	07						37.95 254 1
158.	,	05						37.96 253 1
159.	,	05						37.98 253 1
160.	,	05						38.05 252 1
161.	,	06						38.16 250 1
	,	05						38.16 250 1
163.	,	06						38.21 249 1
164.	,	05		"	"			38.23 248 1
165.	,	05				"	"	38.24 248 1
166.	,	05			14			38.25 248 1
167.	,	07			-2			38.26 248 1
168.	,	06						38.28 247 1
169.	,	05						38.29 247 1
170.	,	05			"	"		38.43 244 1
	,	05						38.43 244 1
172.	,	06						38.47 244 1
173.	,	06						38.53 242 1
174.	,	06			"	"		38.56 242 1
175.	,	07						38.72 239 1
176.	,	06						38.80 237 1
177.	,	07						38.81 237 1
	,	05						38.81 237 1
179.	,	06						38.91 235 1
180.	,	05						38.96 234 1
181.	,	06		"	"			39.00 234 1
182.	,	07						39.05 233 1
183.	,	07		"	"			39.07 232 1
184.	,	06						39.20 230 1
185.	,	05						39.25 229 1
	,	07						39.25 229 1
187.	,	05						39.26 229 1
	,	07						39.26 229 1
189.	,	07				"		39.28 229 1
190.	,	07						39.30 228 1
191.	,	05						39.31 228 1
192.	,	06						39.36 227 1
	,	06						39.36 227 1
194.	,	05						39.38 227 1
	,	05						39.38 227 1
196.	,	05		"	"			39.40 227 1



I
, 24.11.2018

2,	, 50m	, 11 - 13					
197.	,	05		"SPN"-1	39.49	225	1
198.	,	05			39.59	223	1
199.	,	05			39.60	223	1
200.	,	05	"	"	39.69	222	1
201.	,	07			39.74	221	1
202.	,	05			40.01	216	1
203.	,	05			40.16	214	1
204.	,	05		"SPN"-2	40.39	210	1
205.	,	06			40.51	208	1
206.	,	05	14		40.98	201	1
207.	,	06			40.99	201	1
208.	,	06			41.34	196	1
209.	,	06	"	"	41.35	196	1
210.	,	06	"	"	41.36	196	1
211.	,	05			41.96	188	1
212.	,	05	"	"	42.11	186	1
213.	,	07			42.12	185	1
214.	,	06	"	"	42.41	182	1
215.	,	06	"	"	43.02	174	2
216.	,	07	"	"	43.56	168	2
217.	,	05		28	43.73	166	2
218.	,	07		"	43.84	164	2
219.	,	07			45.03	152	2
220.	,	07			46.01	142	2
221.	,	07		28	47.34	130	2
DSQ	,	05					
DSQ	,	05		-1			
DSQ	,	06					
DSQ	,	05					III
EXH	,	06			34.60	335	III
EXH	,	05			35.82	302	III
EXH	,	05			35.85	301	III
EXH	,	05			35.99	298	III
EXH	,	07			36.79	279	1
EXH	,	05	"	"	37.26	268	1
EXH	,	07			38.37	245	1
EXH	,	05			38.49	243	1
EXH	,	07			39.04	233	1
EXH	,	07			39.10	232	1
EXH	,	05			40.11	215	1
EXH	,	06			40.11	215	1



I .
 , 24.11.2018

3 , 50m 9 - 11
 24.11.2018 - 13:10

	I . 10 +: 27.50 / 9 +: 40.50 /	II . 9 +: 28.80 / 9 +: 50.50 /	III . 9 +: 31.50 /	IV . 9 +: 33.50 / 9 +: 1:00.00		
1.		07	1			30.18 482 II
2.		07	1			30.32 475 II
3.		07	1			30.47 468 II
4.		07		" "		30.55 465 II
5.		07				30.62 461 II
6.		07	1			30.65 460 II
7.		07		-1		30.80 453 II
8.		07				30.98 446 II
9.		07	2			31.02 444 II
10.		07		" " "		31.29 432 II
11.		07				31.60 420 III
		07				31.60 420 III
13.		07	-	-		31.62 419 III
14.		07		" "		31.69 416 III
15.		07	" -	" "		31.89 408 III
16.		08		" - "		31.91 408 III
17.		07				31.97 405 III
18.		08		" "		32.02 403 III
19.		07				32.04 403 III
20.		07	-			32.06 402 III
21.		08		" " "		32.09 401 III
22.		07	2			32.19 397 III
23.		07				32.21 396 III
24.		07				32.29 393 III
25.		07	" -	" "		32.39 390 III
		07	-			32.39 390 III
27.		07				32.45 388 III
28.		07		-1		32.57 383 III
		07				32.57 383 III
30.		07				32.60 382 III
31.		08				32.74 377 III
32.		07	-			32.81 375 III
33.		07	2			32.82 375 III
34.		07		14		32.90 372 III
35.		08				32.91 372 III
36.		07				32.92 371 III
37.		07				32.98 369 III
38.		07				33.02 368 III
		07	-			33.02 368 III
40.		08		-2		33.14 364 III
41.		07	" "	" "		33.15 364 III
42.		07				33.25 360 III
43.		07	3			33.30 359 III
44.		07	-	-		33.31 358 III
45.		07	2			33.33 358 III
46.		09		27-31		33.39 356 III



I
 , 24.11.2018

3, , 50m , 9 - 11

47.		08		-1		33.40	355	III
48.		08	3			33.43	354	III
49.		07		-1		33.47	353	III
50.		07		"	"	33.48	353	III
51.		07				33.52	352	1
52.		07				33.59	349	1
53.		07	-			33.63	348	1
54.		07			27-31	33.68	347	1
55.		08	"	"	"	33.69	346	1
56.		08				33.79	343	1
57.		07				33.82	342	1
58.		08				33.90	340	1
59.		07				33.94	339	1
60.		07			27-31	33.95	338	1
61.		07		-2		33.98	338	1
62.		07				34.07	335	1
63.		07				34.11	334	1
64.		07				34.12	333	1
65.		08				34.16	332	1
66.		08				34.23	330	1
67.		07	3			34.30	328	1
		08				34.30	328	1
69.		07				34.32	328	1
70.		07		"	"	34.33	327	1
71.		07				34.42	325	1
		07				34.42	325	1
73.		08		14		34.43	324	1
74.		07	3			34.56	321	1
75.		07	"	"	"	34.57	320	1
76.		07				34.62	319	1
		07				34.62	319	1
78.		07	- 1			34.65	318	1
79.		08				34.74	316	1
80.		08				34.76	315	1
81.		07				34.90	311	1
82.		07				34.99	309	1
		07				34.99	309	1
84.		07				35.10	306	1
85.		07	"	-	"	35.11	306	1
86.		08				35.13	305	1
87.		08				35.14	305	1
88.		08	-			35.16	305	1
89.		07	"	"	"	35.21	303	1
90.		08				35.25	302	1
91.		07			27-31	35.26	302	1
92.		07				35.27	302	1
93.		08	"	"	"	35.29	301	1
94.		07	"		"	35.32	300	1
95.		07				35.34	300	1
96.		07				35.37	299	1



I
 , 24.11.2018

3,	, 50m	, 9 - 11					
97.	,	09				35.41	298 1
98.	,	07	- 1			35.46	297 1
99.	,	07				35.62	293 1
100.	,	08		" "	"	35.68	291 1
101.	,	08		" "	"	35.70	291 1
102.	,	09				35.72	290 1
103.	,	08				35.79	289 1
104.	,	08			14	35.81	288 1
105.	,	07				35.82	288 1
106.	,	07				35.96	285 1
107.	,	07		" "	"	36.05	283 1
108.	,	07				36.07	282 1
109.	,	07				36.08	282 1
110.	,	07				36.12	281 1
111.	,	08				36.13	281 1
112.	,	07				36.15	280 1
113.	,	07				36.16	280 1
114.	,	08				36.21	279 1
115.	,	07			" "	36.24	278 1
116.	,	08		" "	"	36.29	277 1
117.	,	08	-		-	36.32	276 1
118.	,	07	- 1			36.33	276 1
119.	,	07				36.39	275 1
120.	,	08	- 1			36.41	274 1
121.	,	08		" "	"	36.44	274 1
122.	,	07				36.46	273 1
123.	,	07			-2	36.51	272 1
124.	,	08				36.52	272 1
125.	,	07				36.70	268 1
126.	,	07			-2	36.73	267 1
127.	,	08				36.74	267 1
128.	,	08		" "	"	36.75	267 1
129.	,	07				36.77	266 1
130.	,	07	- 2			36.88	264 1
131.	,	07				36.97	262 1
132.	,	08				37.01	261 1
133.	,	08				37.05	260 1
134.	,	09				37.10	259 1
135.	,	08	- 2			37.17	258 1
136.	,	07				37.28	255 1
137.	,	08				37.29	255 1
138.	,	08				37.39	253 1
139.	,	08				37.45	252 1
140.	,	07				37.56	250 1
141.	,	09				37.58	249 1
142.	,	08	- 2			37.60	249 1
143.	,	08				37.61	249 1
144.	,	08				37.62	249 1
145.	,	09				37.66	248 1
	,	09				37.66	248 1



1 .
 , 24.11.2018

3,	, 50m	, 9 - 11							
147.	,	07	"	-	"			37.67	248 1
148.	,	07			"	"		37.68	247 1
149.	,	08						37.88	243 1
150.	,	08						37.92	243 1
151.	,	07			"	"		38.00	241 1
152.	,	07						38.03	241 1
153.	,	09		-		-		38.06	240 1
154.	,	08						38.07	240 1
155.	,	08						38.08	240 1
156.	,	07						38.11	239 1
157.	,	08						38.13	239 1
158.	,	09						38.36	234 1
159.	,	07		-				38.43	233 1
160.	,	07			"	"		38.44	233 1
161.	,	07						38.46	233 1
162.	,	09				28		38.58	230 1
163.	,	07						38.68	229 1
164.	,	07		-				38.73	228 1
165.	,	09						38.74	228 1
166.	,	07						39.00	223 1
167.	,	07				28		39.14	221 1
168.	,	07						39.31	218 1
169.	,	07						39.41	216 1
170.	,	07						39.91	208 1
171.	,	09						40.27	203 1
172.	,	07			"	"	"	40.30	202 1
173.	,	07			"	"	"	40.38	201 1
174.	,	09		- 2				40.45	200 1
175.	,	08						40.47	200 1
176.	,	07			"	"		40.49	199 1
	,	09						40.49	199 1
178.	,	08			"	"		40.53	199 2
179.	,	08						40.73	196 2
180.	,	09						40.74	196 2
181.	,	08						40.78	195 2
182.	,	08			"	"		40.86	194 2
183.	,	09				"	"	41.22	189 2
184.	,	09			"	"		41.27	188 2
185.	,	07						41.31	188 2
186.	,	09						41.67	183 2
187.	,	08						41.68	183 2
188.	,	07			"	"		41.76	182 2
189.	,	09				"	"	41.94	179 2
190.	,	07						42.24	175 2
191.	,	09						42.31	175 2
192.	,	07						42.34	174 2
193.	,	07			"	"		42.58	171 2
194.	,	08						42.71	170 2
195.	,	08						42.83	168 2
196.	,	09						43.65	159 2



I
 , 24.11.2018

	3,	, 50m	, 9 - 11			
197.	,		07		43.95	156 2
198.	,		09		44.07	154 2
199.	,		09		44.36	151 2
200.	,		09		44.83	147 2
201.	,		07	" "	45.19	143 2
202.	,		09		45.92	136 2
203.	,		08		46.80	129 2
204.	,		08		47.41	124 2
205.	,		08	" "	49.22	111 2
206.	,		07		49.62	108 2
207.	,		09		49.68	108 2
208.	,		09		51.13	99 3
209.	,		08	" "	52.01	94 3
DSQ	,		07			
DSQ	,		08			
DSQ	,		07			
EXH	,		07		35.40	298 1
EXH	,		07		36.18	280 1
EXH	,		09		36.83	265 1
EXH	,		08		36.86	264 1
EXH	,		09		37.07	260 1
EXH	,		09		37.45	252 1
EXH	,		08		37.83	244 1
EXH	,		09		38.16	238 1
EXH	,		09		38.22	237 1



I .
 , 24.11.2018

4 , 50m 11 - 13
 24.11.2018 - 13:45

12 +: 23.40 /	10 +: 24.15 /	I	9 +: 25.40 /	II	9 +: 27.80 /
III 9 +: 30.00 /	I 9 +: 36.00 /		II	9 +: 46.00 /	
III 9 +: 56.00					

: FINA 2018

1.		05	1			26.70	480	II
2.		06	- 1			27.24	452	II
3.		05				27.27	450	II
4.		05				27.31	448	II
5.		05	- 1			27.36	446	II
6.		05	-		-	27.37	445	II
7.		05	-			27.54	437	II
8.		05	-			27.64	432	II
9.		05	1			27.72	429	II
10.		05			27-31	27.76	427	II
11.		05				27.85	423	III
		05	-			27.85	423	III
13.		05	1			27.86	422	III
14.		05			" "	28.01	416	III
15.		05				28.10	412	III
16.		05				28.12	411	III
17.		06				28.20	407	III
18.		05				28.21	407	III
19.		06	-		-	28.23	406	III
20.		06				28.25	405	III
21.		05	1			28.35	401	III
22.		05				28.39	399	III
23.		05				28.44	397	III
24.		05	-		-	28.46	396	III
25.		05			-1	28.59	391	III
26.		05				28.71	386	III
27.		05				28.73	385	III
28.		05				28.82	381	III
29.		06			" "	28.83	381	III
30.		05				28.91	378	III
31.		05	- 2			28.99	375	III
32.		05	-			29.03	373	III
33.		05				29.04	373	III
34.		05	2			29.05	372	III
35.		05				29.07	372	III
36.		05	-			29.10	371	III
37.		05				29.11	370	III
		05				29.11	370	III
39.		05			"SPN"-1	29.18	367	III
		05				29.18	367	III
41.		05			-1	29.19	367	III
42.		05	-			29.21	366	III
43.		05				29.22	366	III
44.		05			" "	29.31	363	III
45.		06	- 2			29.33	362	III
46.		05	2			29.34	361	III



I
 , 24.11.2018

4,	, 50m	, 11 - 13						
47.	,	05	"	"				29.35 361 III
48.	,	05						29.37 360 III
	,	07						29.37 360 III
50.	,	06	3					29.40 359 III
51.	,	05	2					29.42 359 III
52.	,	06						29.43 358 III
53.	,	05						29.46 357 III
54.	,	07						29.47 357 III
55.	,	06	"	"				29.48 356 III
56.	,	05						29.52 355 III
57.	,	05	"	"				29.56 353 III
58.	,	05	- 1					29.59 352 III
59.	,	06	"	-	"	"		29.63 351 III
	,	05	"	"	"	"		29.63 351 III
61.	,	05	"	"	"	"		29.64 351 III
62.	,	05						29.67 350 III
	,	06						29.67 350 III
64.	,	05			"	"		29.69 349 III
65.	,	05						29.71 348 III
66.	,	05	"	"				29.73 347 III
67.	,	05						29.77 346 III
68.	,	05						29.80 345 III
69.	,	05			27-31			29.83 344 III
70.	,	05	"	"				29.86 343 III
	,	05	- 1					29.86 343 III
72.	,	06	"	"				29.89 342 III
73.	,	05	"	"				29.90 342 III
74.	,	06	"	"				29.95 340 III
75.	,	05						29.97 339 III
76.	,	06	"	-	"			29.98 339 III
	,	05						29.98 339 III
	,	06						29.98 339 III
79.	,	05						30.00 338 III
80.	,	05	"	-	"			30.01 338 1
	,	06						30.01 338 1
82.	,	07						30.03 337 1
83.	,	05						30.04 337 1
	,	05			27-31			30.04 337 1
85.	,	05	"	-	"			30.05 336 1
86.	,	05	-					30.11 334 1
87.	,	05			28			30.13 334 1
	,	05						30.13 334 1
	,	05						30.13 334 1
90.	,	05	3					30.14 333 1
91.	,	05	"	"				30.18 332 1
92.	,	05						30.19 332 1
93.	,	06						30.30 328 1
94.	,	05						30.36 326 1
95.	,	05						30.37 326 1
96.	,	06						30.39 325 1



I
, 24.11.2018

4,	, 50m	, 11 - 13				
96.	,	07				30.39 325 1
98.	,	05			"SPN"-1	30.41 325 1
99.	,	06		" "	"	30.42 324 1
100.	,	07				30.43 324 1
	,	06				30.43 324 1
102.	,	05		" "	"	30.44 324 1
	,	05				30.44 324 1
	,	05				30.44 324 1
105.	,	05				30.50 322 1
106.	,	06				30.51 321 1
	,	05				30.51 321 1
108.	,	05				30.54 320 1
109.	,	06	3			30.55 320 1
	,	05				30.55 320 1
111.	,	05	2			30.58 319 1
112.	,	06				30.59 319 1
113.	,	05				30.63 318 1
114.	,	05				30.66 317 1
	,	05				30.66 317 1
116.	,	07				30.70 315 1
	,	05		14		30.70 315 1
118.	,	06		" "	"	30.76 314 1
	,	07		-1		30.76 314 1
120.	,	06	-			30.78 313 1
121.	,	05				30.82 312 1
122.	,	05				30.87 310 1
123.	,	06				30.90 309 1
124.	,	05			28	30.92 309 1
125.	,	07		" "	"	30.96 308 1
	,	06				30.96 308 1
127.	,	07	3			30.99 307 1
	,	05				30.99 307 1
129.	,	05				31.03 305 1
	,	06				31.03 305 1
131.	,	06		" "	"	31.05 305 1
	,	06				31.05 305 1
133.	,	06		-1		31.06 305 1
134.	,	06				31.08 304 1
135.	,	07	-		-	31.09 304 1
136.	,	05			"SPN"-1	31.23 300 1
137.	,	05				31.27 299 1
138.	,	05				31.31 297 1
139.	,	05				31.33 297 1
140.	,	05			27-31	31.36 296 1
141.	,	07				31.38 295 1
142.	,	07				31.39 295 1
143.	,	06				31.40 295 1
144.	,	06				31.50 292 1
145.	,	05			"SPN"-2	31.53 291 1
146.	,	06		" "	"	31.55 291 1



I
, 24.11.2018

4,	, 50m	, 11 - 13					
147.	,	07	"	"	"	31.57	290 1
148.	,	06				31.58	290 1
149.	,	07			14	31.60	289 1
150.	,	05				31.77	285 1
151.	,	06				31.82	283 1
152.	,	07				31.83	283 1
153.	,	05				31.86	282 1
154.	,	06				31.88	282 1
155.	,	07	"	"		31.93	280 1
156.	,	05			"	31.94	280 1
157.	,	06	"	"	"	31.95	280 1
158.	,	05				31.99	279 1
159.	,	07				32.05	277 1
160.	,	05			"SPN"-2	32.11	276 1
161.	,	06				32.12	275 1
162.	,	07	- 2			32.25	272 1
163.	,	05				32.27	272 1
164.	,	06				32.28	271 1
165.	,	05	"	"		32.31	271 1
166.	,	05				32.34	270 1
	,	07	- 2			32.34	270 1
168.	,	06			-2	32.35	270 1
169.	,	06			-2	32.38	269 1
170.	,	05	"	"		32.47	267 1
171.	,	07				32.51	266 1
172.	,	07				32.54	265 1
173.	,	05				32.62	263 1
174.	,	05				32.64	262 1
175.	,	06			" "	32.66	262 1
176.	,	07				32.69	261 1
	,	05				32.69	261 1
178.	,	06	"	"		32.70	261 1
179.	,	07			-2	32.82	258 1
180.	,	06				32.84	258 1
	,	05				32.84	258 1
182.	,	07	"	"		32.85	257 1
	,	07				32.85	257 1
184.	,	05			14	32.86	257 1
185.	,	05				32.92	256 1
186.	,	07				32.96	255 1
187.	,	05				32.98	254 1
188.	,	07	"	"	"	33.05	253 1
	,	07				33.05	253 1
190.	,	06			14	33.06	253 1
191.	,	06				33.08	252 1
192.	,	05				33.12	251 1
193.	,	06				33.14	251 1
194.	,	07				33.26	248 1
195.	,	06	"	"	"	33.36	246 1
196.	,	06	"	"	"	33.37	246 1



I
, 24.11.2018

4,	, 50m	, 11 - 13				
197.	,	07			33.46	244 1
198.	,	05	"	"	33.52	242 1
	,	05			33.52	242 1
200.	,	07			33.57	241 1
201.	,	06	"	"	33.64	240 1
202.	,	06			33.74	238 1
203.	,	06			33.85	235 1
204.	,	06			34.34	225 1
205.	,	07			34.54	221 1
206.	,	07		"	34.94	214 1
207.	,	06			35.05	212 1
208.	,	05			35.13	210 1
209.	,	05			35.22	209 1
210.	,	06			35.50	204 1
211.	,	05			35.53	203 1
212.	,	06			35.55	203 1
213.	,	07			35.84	198 1
214.	,	05			35.96	196 1
215.	,	05	"	"	36.21	192 2
216.	,	06	"	"	36.41	189 2
217.	,	05		28	37.28	176 2
218.	,	06	"	"	37.57	172 2
219.	,	07	"	"	38.11	165 2
220.	,	07		"	38.21	163 2
221.	,	07			38.53	159 2
222.	,	07		"	38.73	157 2
223.	,	07		28	42.56	118 2
DSQ	,	05				
DSQ	,	05		-2		
DSQ	,	07				
DSQ	,	06		"SPN"-1		
DSQ	,	05				
DSQ	,	07				
DSQ	,	05		"	"	
DSQ	,	05				
EXH	,	05			29.08	371 III
EXH	,	06			29.42	359 III
EXH	,	05			29.85	343 III
EXH	,	07			30.53	321 1
EXH	,	05			30.72	315 1
EXH	,	05			30.89	310 1
EXH	,	05	"	"	31.05	305 1
EXH	,	07			31.08	304 1
EXH	,	07			31.19	301 1
EXH	,	07			32.27	272 1
EXH	,	05			33.22	249 1
EXH	,	06			33.60	241 1
EXH	,	07			37.57	172 2

